

# KLENK<sup>®</sup> TOOLS

## *Distributor Catalog*

- Klenk<sup>®</sup> Aviation Snips
- Fairmont Tongs
- Stak-N-Tote<sup>®</sup> Storage Trays
- Select-A-Bit<sup>™</sup> Multidriviers
- Klenk<sup>®</sup> Dual Duct Knives



A Division of Everhard Products, Inc.  
1016 Ninth Street SW  
Canton, Ohio USA

Toll-free: 800-327-5619 or 330-453-7857  
Toll-free Fax: 800-225-0984 or 330-453-7449

**Sales@KlenkTools.com**  
**www.KlenkTools.com**

# Klenk® Aviation Snips

MADE IN  
USA

**Klenk Aviation Snips with  
Built-in Wire Cutter**  
Allows cutting of hardened wire  
-- No more nicked snip blades!  
(Featured on 10½" models  
MA70530-580)

**Comfortable:**  
Softer grip gives you  
control and is easier  
on your hands!

**Heat-treated,  
Precision-ground  
Blades:**  
The most durable in  
the industry!

**Grade 8  
Pivot Bolt:**  
Adds strength!

## +DURABILITY




- Hardened alloy steel blades resist wear and breakage.
- Hardened pivot bolt provides durability.







## +EASIEST CUTTING

- Double-cam action provides greater cutting power.
- Serrated blades draw work into cutting edge without slipping for accurate, clean cuts.
- Self-locking nuts allow easy adjustment.

## +MOST COMFORTABLE


- Maximum jaw opening provides longer cuts -- minimal handle opening is easier on your hands and allows quick and easy cutting.

MODEL #	CUT	9½" KLENK AVIATION SNIPS	WEIGHT
MA70030		1¼" left/straight cut, parallel handles (not pictured)	0.840 lbs.
MA70040		1¼" right/straight cut, parallel handles (not pictured)	0.840 lbs.
MA70050		1¼" straight cut/slight curves, parallel handles (not pictured)	0.840 lbs.

MODEL #	CUT	10½" KLENK AVIATION SNIPS	WEIGHT
MA70530		1½" left/straight cut with Built-in Wire Cutter, original handles	0.960 lbs.
MA70540		1½" right/straight cut with Built-in Wire Cutter, original handles	0.960 lbs.
MA70550		1½" straight cut/slight curves with Built-in Wire Cutter, original handles	0.960 lbs.
MA70560		1½" left/straight cut with Built-in Wire Cutter, parallel handles	0.960 lbs.
MA70570		1½" right/straight cut with Built-in Wire Cutter, parallel handles	0.960 lbs.
MA70580		1½" straight cut/slight curves with Built-in Wire Cutter, parallel handles	0.960 lbs.

NOTE: Cutting capacity for 9½" and 10½" snips is 18 ga. CR - 22 ga. SS.





## Klenk® Offset Aviation Snips MADE IN USA

- Softer grip on upper handle gives you ergonomic comfort, reducing hand fatigue.
- Thick alloy steel blades increase strength and add durability.
- Unique flat blade design makes Klenk offsets the easiest turning snips available.
- Stress-free blades resist breakage.
- Heat-treating process produces tougher and more wear-resistant blades.
- Precision-ground blade tips meet together evenly to prevent fishhooks, burr and tearing and the end of a cut.
- Cutting capacity: 18 ga. CR - 22 ga. SS (not recommended for use on seams).

MODEL #	CUT	10½" KLENK OFFSET AVIATION SNIPS	WEIGHT
MA75200		1⅜" left/straight cut, parallel handles	1.060 lbs.
MA75210		1⅜" right/straight cut, parallel handles	1.060 lbs.





## Klenk® Snips for Metal Roofing and Siding

### Klenk® Bulldog Snips

- Short bite, serrated blades, and long leverage for heavier gauge metal
- Hardened blades and bolt
- Ergonomic handle and comfortable design
- Ideal for "S" slips and drives
- Works well on t-bar used in drop ceilings and extruded aluminum used in doors and window frames




MA74500

MODEL #	9" KLENK BULLDOG SNIPS	WEIGHT
MA74500	Klenk Bulldog Snips, 9-1/8" long, 3/4" cut	0.760 lbs.

### Klenk® Copper Cutting Aviation Snips

*Cuts A Smooth Edge -- Leaves No Teeth Marks!*

- Get the extra leverage and cutting power of a compound-action snip with the smooth cut of a pattern snip
- Leaves no teeth marks in metal
- Perfect for architectural metals -- **COPPER, BRASS**, and pre-coated metals where a smooth cut edge is needed
- Recommended for **ZINC** metals, used extensively in the building industry in roofing, flashing, and weatherproofing applications






MA74520

MA74530



MA74510

MODEL #	CUT	10½" KLENK COPPER CUTTING SNIPS	WEIGHT
MA74520		1½" left/straight cut, parallel handles	0.960 lbs.
MA74530		1½" right/straight cut, parallel handles	0.960 lbs.
MA74510		1½" straight cut/slight curves, parallel handles	0.960 lbs.

### Klenk® Long Cut Siding Snips

- Heavy-duty, industrial quality snips are specially designed for all types of siding -- steel, aluminum, and vinyl.
- Long alloy steel blades are heat-treated for hardness.
- Serrated blades draw work into cutting edge without slipping for accurate, clean cuts.
- Longer leverage, spring-action handles prevent hand fatigue.
- Blades have fine points for cutting close to siding locks and rolled edges.
- Cutting capacity: 18 ga. CR - 22 ga. SS



MA72000



MA72010



MM20200

MODEL #	DESCRIPTION	WEIGHT
MA72000	Large Klenk Siding Snips, 13" long, 2¼" cut	1.380 lbs.
MA72010	Small Klenk Siding Snips, 10½" long, 1½" cut	0.920 lbs.
MM20200	Reinforced Nylon Shear Sheath, 12½" long, 4½" wide opening*	0.100 lbs.

\*NOTE: MM20200 can be used for 10½" snip models.

## Shears for Non-metals

### SuperNonStick™ Shears (Bent Trimmers)

**New Specialized Industrial Release Coating eliminates gummy residue and keeps blades from sticking -- even with the strongest adhesives!**

- Industrial Release Coating resists adhesives better compared with other non-stick coatings. No other shear comes close -- adhesives, glues, and tapes pull off easily with little or no clean up.
- Shears are 10" bent trimmers, with offset handles, which are ideal for cutting roofing materials (including Peel-and-Stick) and the 10" blades are ideal for long straight cuts.
- Shears are hot-forged, through hardened-carbon steel, providing durability and longer-lasting sharp edges.
- Large, comfortable handles fit all hand sizes.
- Optional sheaths (see facing page) are available in reinforced nylon or brass-riveted leather (sold separately).



DC65915



MM20200

MODEL #	DESCRIPTION	WEIGHT
DC65915	SuperNonStick™ 10" bent shear, with a 4¾" cut, comfort grip handles	1.017 lbs.
MM20200	Reinforced Nylon Shear Sheath, 12½" long, 4½" wide opening	0.100 lbs.

### Industrial Shears



- Hot forged with chrome over nickel plating
- Cuts easily through fiberglass duct wrap, duct tape, and other materials
- Larger models have extended ring handle, which adds comfort and cutting leverage.

MODEL #	DESCRIPTION	WEIGHT
DC65820	Bent Trimmers, 10" long, 4¾" cut	0.806 lbs.
DC65830	Bent Trimmers, 12" long, 6" cut	1.250 lbs.
DC66681	Utility Shears, 7¾" long, 2" cut, large ring, w/cushion grips	0.430 lbs.
DC66695	Electrician's Scissors, 5½" long, 2" cut, serrated blade, w/cushion grips	0.160 lbs.
MM20200	Reinforced Nylon Shear Sheath, 12½" long, 4½" wide opening	0.100 lbs.



DC65820

DC65830



DC66681

DC66695



### Klenk® Laminate Shears

**Cuts high-pressure laminate without chipping or binding, and without marring the surface of the laminate**

- Takes out a 1/8" track as it cuts
- Designed for use with hand positioned over the laminate, cutting into it



MODEL #	KLENK LAMINATE SHEARS	WEIGHT
MA72500	Straight Cut Laminate Shear ("K12"), 9" long, 1½" cut	0.870 lbs.



MA72500

### Klenk® Pipe Cutter, Slot or Double Cut

- Designed to cut round, oval, black pipe, and downspout
- Start cutting by pushing center blade point through pipe, and the three-blade tool takes out a 1/8" track leaving both ends clean and straight.
- Maximum opening of jaws provides better bite -- minimum opening of spring-back handles provides easier cutting.
- Hardened steel and hardened pivot bolt provides long wear.
- Vinyl handles give you a comfortable grip.
- Regular aviation snips used to cut pipe would bend up one side significantly. Klenk's pipe cutter allows for this by making room for the tool to travel, leaving both sides clean and straight.



MA71500

MODEL #	DESCRIPTION	WEIGHT
MA71500	Pipe Cutter, Slot or Double Cut, 10½" long, 1¼" cut	0.920 lbs.

### Klenk® Five-blade Crimpers

- Available in straight and ergonomic, angled, offset models.
- Ideal for reducing diameter of round duct, sheet metal pipe, and downspouts for insertion into other pipes.
- Five blades make uniform crimps on sheet metal up to 20 gauge
- Recommended for light or heavy piping -- furnace, smoke, and wall stacks, air ducts, water heater vent pipes, and downspouts.
- Crimps up to 1-5/8" for good overlap connection.
- Heat treated blades for longer wear, hardened pivot bolt for durability, vinyl grips for comfort.
- For natural indraw on metal, always start with the three blades on top.



MA71250



MA71260



MODEL #	DESCRIPTION	WEIGHT
MA71250	Five-blade Straight Crimper, 9¾" long, 1⅝" crimp	1.140 lbs.
MA71260	Five-blade Offset Crimper, 9¾" long, 1⅝" crimp	1.140 lbs.

### Klenk® Compound-leverage Notcher

- Drop forged jaw
- Compound leverage handles
- Notches cleanly without slipping
- Black vinyl grips
- Cutting capacity of up to 22 gauge CR



MA77000

MODEL #	DESCRIPTION	WEIGHT
MA77000	Notcher, 8½" long, ¾" cut	1.020 lbs.

### Klenk® Snap-lock Punch

- Drop forged jaw
- Compound leverage handles
- Black, non-slip vinyl grips

MODEL #	DESCRIPTION	WEIGHT
MA77010	Snap-lock Punch, 8" long, ¼" jaw depth	0.963 lbs.



MA77010


# Sheet Metal Seaming and Bending Tools

## Fairmont Tongs

### The Original Forged Tongs!

- Used in HVACR, metal roofing, and many other sheet metal applications
- Forged and plated -- and fully guaranteed against manufacturing defects
- Bending depth marks on tong jaws
- Regular or offset handle models
- Available with cushion grip handles, providing a softer, more comfortable grip
- Tongs are 9-1/2" long, with a 3" wide by 1-1/8" deep jaw

MODEL #	DESCRIPTION	WEIGHT
MT14000	Fairmont Seaming Tongs, Straight	1.820 lbs.
MT14010	Fairmont Seaming Tongs, Offset	1.820 lbs.
MT14020	Fairmont Seaming Tongs, Straight with cushion grips	1.960 lbs.
MT14030	Fairmont Seaming Tongs, Offset with cushion grips	1.960 lbs.



## Hand Seamers

- Drop forged jaw
- Compound leverage handles
- Rust-resistant nickel plating
- Non-slip grips with bolsters add comfort and control.

MODEL #	DESCRIPTION	WEIGHT
MA74100	Seamers, straight, 9 1/2" long, 3" wide x 1 1/8" deep jaw	1.394 lbs.
MA74110	Seamers, offset, 9 1/2" long, 3" wide x 1 1/8" deep jaw	1.469 lbs.
MA74120	Seamers, straight, 9 1/2" long, 6" wide x 1 1/8" deep jaw	1.906 lbs.



## Lightweight Aluminum Folding Tools

### Half the weight of similar steel tools!

- Makes clean folds in 24 gauge sheet metal easily
- Available in 12", 18", and 24" lengths
- All models fold 3/8" and 1" depths.
- One-piece aluminum tool ► No spotwelds to break loose
- Sight holes ► Guides for proper depth alignment
- Ergonomic shape and finger ridges ► Better grip for easier folding



MODEL #	DESCRIPTION	WEIGHT
MA77500	12" Lightweight Aluminum Folding Tool	10 oz.
MA77510	18" Lightweight Aluminum Folding Tool	15 oz.
MA77520	24" Lightweight Aluminum Folding Tool	20 oz.





## Duct Tools

### Tinner's Hammers

- Balanced head for user comfort and a true swing
- Ideal for use with the duct slicer to start cuts in duct takeoffs.

MODEL #	DESCRIPTION	WEIGHT
DA70500	Tinner's Hammer, 16 oz, fiberglass handle	1.520 lbs.
DA70510	Tinner's Hammer, 20 oz, ergonomic handle, polished finish	1.860 lbs.



DA70500



DA70510

### Duct Slicer

***Slices safely through metal duct and works great for take-offs!***



- New bevel on tip: Beveled edge notch on the tip allows easier and more accurate piercing and cutting of sheet metal duct.
- Heat-treated steel shaft: Provides durability and longer-lasting edge on tip.
- Ergonomic: Contoured, rubberized handle gives users a more comfortable and secure grip.
- Shock-absorbing: Re-engineered internal structure and steel end cap strengthens handle and absorbs shock when the tool is struck, decreasing hand fatigue.

MODEL #	DESCRIPTION	WEIGHT
MA73010	Duct slicer, ergonomic rubberized handle , 12" long	0.700 lbs.



MA73010

### Duct Stretcher

***Holds duct in place when fastening ductwork!***

- Hold duct in place with one hand while slipping drive cleat in place with other hand.
- Engineered to be used anywhere, even in tight or cramped areas
- Offset design saves your knuckles when working in awkward spaces.
- Wheels can be adjusted to span greater distances using the additional spacing holes.
- Anodized aluminum body has vinyl cushion grip handle.



MODEL #	DESCRIPTION	WEIGHT
MA77530	Duct Stretcher, anodized aluminum with vinyl grip handle, 16" long x 1 1/8" wide	0.610 lbs.



MA77530



## Stak-N-Tote® Trays





### Stak-N-Tote® Trays

***Angled sides let you see and access parts without unstacking totes!***



Klenk's patented, space saving Stak-N-Tote® trays are ideal for organizing, storing and transporting small parts, fittings, screws, nuts, bolts, tools, and more while using up less storage space in your warehouse, truck, or shop. Made in USA.

- Premium-grade galvanized steel is strong, sturdy, and corrosion-resistant -- takes the hard knocks.
- All models are stackable with each other for flexible compact storage.
- Four different compartment layouts gives you many options for storing many different size parts and tools.
- Drain holes prevent moisture build up.

**NOTE:** Load capacity = 50 lbs.



MODEL #	DESCRIPTION	WEIGHT
MB78000	Klenk Stak-N-Tote #2055, 11" x 20", 5/5 layout	5.220
MB78010	Klenk Stak-N-Tote #2044, 11" x 20", 4/4 layout	4.860
MB78030	Klenk Stak-N-Tote #2033, 11" x 20", 3/3 layout	4.540
MB78040	Klenk Stak-N-Tote #2041, 11" x 20", 4/1 layout	5.160



## Duct Knives / Insulation Knives

### Klenk Dual Duct Knives

**Heavier and Thicker Blade is Superior to Many Imitations!**

Klenk's Dual Duct Knives give contractors a choice -- the traditional rosewood handle or the ergonomic rubber handle. The rosewood handle and the ergonomic rubber handle offer the same high standards of quality construction and reinforcement.

Both knives share the same outstanding features:

- Stainless steel, 3mm blade, serrated on one edge and smooth on the other -- a heavier and thicker blade than other knives.
- Designed to cut duct board, flex-duct, and insulation.
- Slim, reinforced, Ripstop nylon sheath is included.
- An optional, leather sheath can be purchased separately. (See below.)


**Ergonomic Rubber Molded Handle:** Built-in grips increase comfort and give you an easy grip.



**DA71010**  
Ergonomic Handle



**DA71000**  
Rosewood Handle



**Leather Sheath for  
Klenk Dual Duct Knives --  
SOLD SEPARATELY**

**Rivet  
Reinforced**

**Velcro  
Wrap**

**Belt  
Loop**

MODEL #	DESCRIPTION	WEIGHT
DA71000	Dual duct knife, 11" long, rosewood handle, with nylon sheath	0.480 lbs.
DA71010	Dual duct knife, 11" long, ERGONOMIC handle, with nylon sheath	0.500 lbs.
DM90110	Optional knife sheath, leather, for dual duct knife <i>(sold separately)</i>	0.400 lbs.

### Ductboard Knives

**MADE IN  
USA**

- Blades are made from heavy gauge, high carbon steel.
- Blades are hardened, ground and honed to a sharp edge providing durability and strength.
- Available with 4" or 6" blades, and with or without the safety guard, which serves as a finger stop when cutting with increase pressure.

MODEL #	DESCRIPTION	WEIGHT
DR68010	Ductboard Knife without guard, 4" long x 1" wide blade	0.130 lbs.
DR68020	Ductboard Knife with guard, 4" long x 1" wide blade	0.150 lbs.
DR68060	Ductboard Knife without guard, 6" long x 1" wide blade	0.150 lbs.
DR68070	Ductboard Knife with guard, 6" long x 1" wide blade	0.180 lbs.
MM20210	Nylon Ripstop Sheath, fits 4" and 6" knives	0.120 lbs.
DH75650	Leather Sheath, fits 4" and 6" knives	0.130 lbs.





## Insulation Knives / Utility Knives

### Long Cut® Insulation Knife

**3-5/8" blade lets you cut through thicker insulation!**

- Steel blade has consistent edge quality, is double beveled on all three edges, and mounted permanently in a durable plastic handle.
- High carbon spring steel blade is hardened and tempered for strength, keeping it rigid yet flexible enough not to break.
- Perfect for cutting thicker insulation, duct board, flex-duct, and insulation



**Optional Sheath  
Now Available**


**DM90070**

**MK46000**

MODEL #	DESCRIPTION	WEIGHT
MK46000	Long Cut® insulation knife, 7½" overall length, 3⅝" blade	0.150 lbs.
DM90070	Insulation Knife Sheath, Leather	0.180 lbs.

### Utility Jack Knives

- Quick change blade mechanism makes blade changes simple and fast.
- Durable die-cast blade holder has screw on both sides for opening
- Liner Lock design with oversized thumb opening holds the blade securely during use, and folds to 3½".
- Precision machined body with wooden inlay panels and a convenient belt clip.
- Uses standard, double-notched, contractor-quality blades, and includes five spare blades.
- Includes black nylon pouch



#### **To Change Blade:**

Push thumb knob to release blade; push blade out.



**DA84140**

**DA84150**

**DA84200**

MODEL #	DESCRIPTION	WEIGHT
DA84140	Jack Knife, wood inlay handle, w/pouch (clamshell pkg)	0.525 lbs.
DA84150	Mini Jack Knife, wood handle (single unit)	0.160 lbs.
DA84200	Jack Knife, ERGONOMIC rubber handle (clamshell pkg)	0.521 lbs.

### Utility Knives

MODEL #	DESCRIPTION	WEIGHT
DS56000	Quick Blade® Utility Knife, die-cast metal w/ergo grip	0.570 lbs.
DS56010	Steel Track® Snap Knife, snap-off, retractable blade	0.230 lbs.
DS56020	Gray Safety Grip® Utility Knife, die-cast metal	0.430 lbs.
MODEL #	REPLACEMENT BLADES	WEIGHT
DS56040	Standard Utility Blade, 100/box	0.940 lbs.
DS56050	Snap Utility Blade, 10/tube	0.170 lbs.
DS56060	Hook Utility Blade, 100/box	0.770 lbs.
DS56070	Hook Utility Blade, 5/card	0.050 lbs.
DS56080	Standard Utility Blade, 5/card	0.060 lbs.
DS56090	Safety-point Utility Blade, 100/box	0.970 lbs.



**DS56010**

**DS56020**

**DS56000**





## Select-A-Bit™ Multidriv

MADE IN USA

**Professional multidrivs have extra-long 3" bits that are easier to handle!**

- Replaces 16 screwdrivers with industrial quality, hardened steel bits that are universally sized.
- Extra long (3") double-ended bits are easier to handle and keep track of than shorter, smaller bits.
- All bits store safely in the handle in separate bit compartments -- the unique end cap allows individual bit selection and will stay closed during use, preventing stored bits from falling out.
- When no bit is loaded, the nosepiece becomes a 1/4" nut driver.



### CLASSIC Multidriver

- Standard size driver for everyday use
- Replaces 16 of the most frequently used bits
- Features extra-long 3" nosepiece to reach even recessed fasteners



MODEL #	DESCRIPTION	WEIGHT EA
DA86350	Select-A-Bit™ Classic Multidriver (single unit, clamshell pkg)	0.580 lbs.
DA86360	Select-A-Bit™ Classic Multidriver (display/12)	0.580 lbs.

CLASSIC BIT LOAD					
Hex	Roberts	Slot	Star	Phillips	
3/32"			15	0	
1/8"	2	1/4"	20	1	
5/32"	3	3/16"	25	2	
3/16"			30	3	



### TAMPERPROOF Multidriver

- Hard-wearing, heavyweight tool for professionals working with tamperproof fasteners
- Includes 14 tips for tamperproof fasteners, plus two standard tips on eight 3" long double-ended bits
- Features extra-long 3" nosepiece to reach recessed fasteners



TAMPERPROOF BIT LOAD					
Hex	Spanner	Roberts	Star	Phillips	Slot
1/8"	4		10		
9/64"	6	1	15		
5/32"	8	2	20	2	7/32"
3/16"	10		25		



MODEL #	DESCRIPTION	WEIGHT EA
DA86370	Select-A-Bit™ Tamperproof Multidriver (single unit, clamshell pkg)	0.630 lbs.
DA86380	Select-A-Bit™ Tamperproof Multidriver (display/12)	0.630 lbs.



## Select-A-Bit™ Multidrivs (continued)


### RATCHETING SPEED Multidriver

- 4 to 1 ratio action makes it the fastest hand-operated driver on the market!
- By holding the black collar while turning the handle, the nosepiece turns 4 times for every 1 turn of the handle.
- Reversible ratchet changes direction quickly with one hand, even during use.
- The 4:1 ratio works best when driving screws and nuts in low-torque situations. For higher torque operations, such as driving wood screws, or rusted or tight fitting screws, the 1:1 ratio is required.




#### Hold the nosepiece:

4:1 geared ratio nose turns the bit 4 times for each turn of the handle.



#### Use it one-handed:

The nosepiece and handle turn together for standard (1:1) driving action.



#### RATCHETING SPEED DRIVER BIT LOAD


Hex	Roberts	Slot	Star	Phillips
3/32"			15	0
1/8"	2	1/4"	20	1
5/32"	3	3/16"	25	2
3/16"			30	3



MODEL #	DESCRIPTION	WEIGHT EA
DA86440	Select-A-Bit™ Ratcheting Speed Multidriver (display/12)	0.667 lbs.
DA86450	Select-A-Bit™ Ratcheting Speed Multidriver (single unit, clamshell pkg)	0.667 lbs.

### ADJUSTABLE PIVOT Multidriver

- Operates with a heavy duty reversible ratchet mechanism on an adjustable nosepiece that locks into the angle you need
- Also available with a 7-piece SAE socket set, which includes sockets: 3/16", 5/16", 3/8", 7/16", 11/32", 1/2", and adapter bit




#### ADJUSTABLE PIVOT BIT LOAD

Hex	Roberts	Slot	Star	Phillips
3/32"			15	0
1/8"	2	1/4"	20	1
5/32"	3	3/16"	25	2
3/16"			30	3



MODEL #	DESCRIPTION	WEIGHT EA
DA86390	Select-A-Bit™ Adjustable Pivot Multidriver (display/12)	0.813 lbs.
DA86400	Select-A-Bit™ Adjustable Pivot Multidriver (single unit, clamshell pkg)	0.813 lbs.
DA86410	Select-A-Bit™ Adjustable Pivot Multidriver with Socket Set	1.200 lbs.



## Select-A-Bit™ Replacement Bits / 4 in 1 Screwdriver

### Select-A-Bit™ Replacement Bits

3" double-ended - Universally sized - Professional quality - Hardened steel - Individually carded, pkg/6

#### Standard Replacement Bits

MODEL #	DESCRIPTION	WEIGHT
DA86000	Bit - STAR, 3" (15 - 20)	0.060 lbs.
DA86010	Bit - STAR, 3" (25 - 27)	0.060 lbs.
DA86020	Bit - STAR, 3" (25 - 30)	0.060 lbs.
DA86030	Bit - STAR, 3" (30 - 40)	0.060 lbs.
DA86120	Bit - ROBERTS, 3" (0 - 1)	0.060 lbs.
DA86130	Bit - ROBERTS, 3" (2 - 3)	0.060 lbs.
DA86040	Bit - HEX, 3" (3/32" - 1/8")	0.060 lbs.
DA86050	Bit - HEX, 3" (5/32" - 3/16")	0.060 lbs.
DA86060	Bit - HEX, 3" (7/32" - 1/4")	0.060 lbs.
DA86070	Bit - PHILLIPS, 3" (0 - 1)	0.060 lbs.
DA86080	Bit - PHILLIPS, 3" (2 - 3)	0.060 lbs.
DA86090	Bit - SLOT, 3" (5/32" - 7/32")	0.060 lbs.
DA86100	Bit - SLOT, 3" (3/16" - 1/4")	0.060 lbs.
DA86110	Bit - PHILLIPS/SLOT, 3" (2 - 7/32")	0.060 lbs.

#### Tamperproof Replacement Bits

MODEL #	DESCRIPTION	WEIGHT
DA86150	Bit - Tamperproof STAR, 3" (9 - 10)	0.060 lbs.
DA86160	Bit - Tamperproof STAR, 3" (15 - 20)	0.060 lbs.
DA86170	Bit - Tamperproof STAR, 3" (25 - 27)	0.060 lbs.
DA86180	Bit - Tamperproof STAR, 3" (30 - 40)	0.060 lbs.
DA86190	Bit - Tamperproof STAR, 3" (10 - 15)	0.060 lbs.
DA86200	Bit - Tamperproof STAR, 3" (20 - 25)	0.060 lbs.
DA86260	Bit - Tamperproof ROBERTS, 3" (1 - 2)	0.060 lbs.
DA86210	Bit - Tamperproof HEX, 3" (1/8" - 5/32")	0.060 lbs.
DA86220	Bit - Tamperproof HEX, 3" (5/32" - 3/16")	0.060 lbs.
DA86230	Bit - Tamperproof HEX, 3" (1/8" - 9/64")	0.060 lbs.
DA86240	Bit - Tamperproof SPANNER, 3" (4 - 6)	0.060 lbs.
DA86250	Bit - Tamperproof SPANNER, 3" (8 - 10)	0.060 lbs.

### 4 in 1 Screwdrivers

- Removable nosepiece is chrome plated for durability and is a 5/16" nut driver.
- Double-ended bits are hardened tool steel.
- Available with standard and "stubby" handles



#### BIT LOAD



Slot	Phillips	Nut Driver (Standard)	Nut Driver (Stubby)
3/16"	1	5/16"	1/4"
1/4"	2		

MODEL #	DESCRIPTION	WEIGHT EA
DA86461	4 in 1 Screwdriver with bits (display/12)*	0.400 lbs.
DA78140	4 in 1 "Stubby" Screwdriver with bits (display/12)*	0.360 lbs.
MODEL #	REPLACEMENT BITS	WEIGHT EA
DA78120	Replacement Phillips bit for DA86461	0.060 lbs.
DA78130	Replacement Slot bit for DA86461	0.060 lbs.
DA78190	Replacement Phillips bit for DA78140	0.060 lbs.
DA78180	Replacement Slot bit for DA78140	0.060 lbs.

\*NOTE: DA86461 and DA78140 are available only in 12-pack display.



DA86461



DA78140




## Hi-Torq™ Screwdrivers

*It's All in the Handle!*

- Engineered handle is ergonomically designed with an oversized, tapered, three-sided shape that maximizes the hand's torque force, and minimizes exertion for less hand fatigue.
- Rubber grip handle coating has a tacky, non-stick surface, for a non-slip grip—even when wet or oily.
- Removable nosepiece is chrome plated for durability and has a nut driver on each end.
- Double-ended bits are hardened tool steel.
- New, more sturdy countertop display is reusable.



### STANDARD BIT LOAD



Slot	Phillips	Nut
3/16"	1	1/4"
1/4"	2	5/16"



### TAMPERPROOF BIT LOAD



Star	Star	Nut
15	25	1/4"
20	30	5/16"



MODEL #	DESCRIPTION	WEIGHT EA
DA76440	Hi Torq™ 6-in-1 Driver, Standard Bits (display/12)	0.400 lbs.
DA76450	Hi Torq™ 6-in-1 Driver, Star Security Bits (display/12)	0.360 lbs.

NOTE: Available only in 12-pack display.

## Magnetic Bit Holders


- Magnetic insert holds bits securely.
- High quality, one-piece construction
- Universally-sized 1/4" hex shaft



## Magnetic Nut Setters

- Magnetic insert holds fasteners securely.
- High quality, one-piece construction
- Universally-sized 1/4" hex shaft

MODEL #	DESCRIPTION	WEIGHT
DA86270	Magnetic Bit Holder - 2-1/4"	0.080 lbs.
DA86280	Magnetic Bit Holder - 3"	0.100 lbs.
DA86300	Magnetic Nut Setter, 1-3/4" x 1/4"	0.060 lbs.
DA86310	Magnetic Nut Setter, 1-3/4" x 5/16"	0.060 lbs.
DA86320	Magnetic Nut Setter, 1-3/4" x 3/8"	0.080 lbs.
DA86330	Magnetic Nut Setter, 4" x 1/4"	0.110 lbs.
DA86340	Magnetic Nut Setter, 6" x 1/4"	0.150 lbs.




## 4 in 1 POCKET SOCKET®

### 4 in 1 Pocket Socket®


#### 4 Popular Sockets -- One Tough Tool!

- Replaces the four most common nut drivers with one tough, yet compact, tool.
- Telescoping action provides two socket sizes at each end.
- High-torque grip has textured, non-slip surface.
- Tough, high quality industrial steel construction.
- SAE socket sizes are: 1/4", 3/8", 5/16", 7/16".
- Also available in metric version -- Socket sizes: 7mm, 8mm, 10mm and 13mm.
- Socket sizes are etched on nut driver.



**Push left**

for 5/16" or 3/8" socket



**Push right**

for 7/16" or 1/4" socket

MODEL #	DESCRIPTION	WEIGHT EA
DA86420	4-in-1 POCKET SOCKET® (countertop display/12)	0.370 lbs.
DA86427	4-in-1 POCKET SOCKET® Metric (countertop display/12)	0.370 lbs.


NOTE: Available only in 12-pack display.

### Adjustable-length Nut Drivers

**Adjusts to any length from 3" to 6"!**

- Adjustable shaft lets you change the length of the nut driver shaft for the specific job -- best nut driving tool to reach into awkward spaces!
- Chrome vanadium steel shaft
- Retractable design with easy push-button adjustment -- 3" extending to 6"
- Comfortable molded grips are color coded by size.
- Magnetic end allows precise placement and helps to avoid dropped hex screws.

MODEL #	DESCRIPTION	WEIGHT
DA75610	Adjustable-length Magnetic Nut Driver, 1/4" hex size - Red	0.4063 lbs.
DA75630	Adjustable-length Magnetic Nut Driver, 3/8" hex size - Blue	0.4188 lbs.



### Nut Driver Set, 7-piece SAE

- Color-coded hollow shafts accommodate longer fasteners.
- Extra-deep sockets securely grip nuts and bolts.
- Includes 7 SAE sizes: 3/16", 1/4", 5/16", 11/32", 3/8", 7/16", 1/2".
- Includes handy plastic pouch with individual storage pockets

MODEL #	DESCRIPTION	WEIGHT
DA76370	Nut Driver Set, 7-piece SAE (packaged in plastic pouch)	1.300 lbs.



### Pocket Driver

- Double-ended bit seats firmly, won't slip during use.
- High quality—bit is chrome-plated to prevent rust; brass inset won't wear or crack.
- Standard driver bit load: Phillips #1, Slot 3/16"

MODEL #	DESCRIPTION	WEIGHT
DA76420	2 in 1 Pocket Driver, Standard Driver, jug/50	2.500 lbs.

NOTE: Available only in Jug/50.





## Precision Adjustable Wrenches

- Oversized jaw opens wider to accommodate larger fasteners.
- Laser-etched measurements on jaws help set wrench precisely -- inches on one side, millimeters on the other.
- Cushion-grip handle has superior balance to reduce hand fatigue.
- Carbon steel, chrome plated construction



MODEL #	DESCRIPTION	WEIGHT
DA78000	Precision Adjustable Wrench, 4" long, jaw spans to 11/16"	0.220 lbs.
DA78010	Precision Adjustable Wrench, 6" long, jaw spans to 15/16"	0.300 lbs.
DA78020	Precision Adjustable Wrench, 8" long, jaw spans to 1-1/8"	0.540 lbs.
DA78030	Precision Adjustable Wrench, 10" long, jaw spans to 1-5/16"	0.900 lbs.
DA78040	Precision Adjustable Wrench, 12 " long, jaw spans to 1-9/16"	1.570 lbs.

## Ratcheting Pipe Wrenches

- Unique 360° swivel head allows full leverage in tight spots -- allows you approach pipe at an angle.
- Ratcheting jaw doesn't require resetting between turns.
- Jaws automatically set-to-fit for °one-handed operation.
- Jaw design increases grip as you increase torque force.
- Constructed of heavy-gauge chrome-vanadium steel.



**360° Swivel**



**Power Jaw**



**Oversized Jaw**

MODEL #	DESCRIPTION	WEIGHT
DA84100	Ratcheting Pipe Wrench, 10", opens to 1-1/2"	1.990 lbs.
DA84110	Ratcheting Pipe Wrench, 14", opens to 2-1/2"	3.550 lbs.



### 8-in-1 Multi Wrench

**One tool replaces 8 wrench sizes!**

- Replaces 8 SAE wrenches: 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4"
- Chrome vanadium hardened steel with a solid shaft stands up to heavy use
- Heavyweight tool is chrome plated and rust resistant

MODEL #	DESCRIPTION	WEIGHT
DA86430	8 in 1 Multi-wrench	0.470 lbs.



### Element Removal Wrench

- Most efficient way to remove and replace water heater elements
- Heavy duty construction for long life
- For water heater elements with 1-1/2" nut

MODEL #	DESCRIPTION	WEIGHT
DA78200	Element Removal Wrench	0.806 lbs.



### Pry-Angle™ Adjustable Prybars

- Claw head is indexed to lock into 5 positions: 180° (straight), 155°, 130°, 105°, and 80°.
- Super tough locking mechanism with thumb lever allows one-handed angle changes -- won't slip during use.
- Industrial quality high carbon steel construction.
- Meets ANSI Standards, rated at 300 ft/lbs torque.



**Quick, One-handed Angle Changes:**

Push thumb lever, rotate head to desired angle, and release lever.

MODEL #	DESCRIPTION	WEIGHT
DA84000	Pry-Angle™ Adjustable Prybar, 16" long	1.730 lbs.
DA84010	Pry-Angle™ Adjustable Prybar, 20" long	2.000 lbs.



## Pliers

### 3 in 1 Multi-Pliers

- Three interchangeable plier heads lock into place, can't slip during use.
- Double-lever design yields twice the force of standard pliers at the jaw.
- Quality plier heads are machined with precision cutting edges and tight jaw action.
- Set includes long nose, diagonal cutting and combination plier heads in a Velcro® close ripstop nylon holster.
- Handle is made of chrome molybdenum and PVC.
- Plier heads are induction-hardened carbon steel.



#### To Change Heads:

Open spring-loaded handles to full extension, and snap in desired head.



MODEL #	DESCRIPTION	WEIGHT
DA84120	3 in 1 Multi-Pliers	1.290 lbs.

### Locking Pliers

*The right tools for clamping, twisting, and holding*

- Adjustment screws set quickly, stay adjusted for repetitive jobs; fingertip release opens jaws instantly.
- Task-specific tools offer the right feature for the task at hand.
- For clamping and twisting, locking pliers feature comfort grips, curved jaws with wire cutters and hardened teeth that grip from any angle.
- For working with tubing, pinch-off pliers close and clamp tubing automatically for efficient, hands-free operation.
- For large jobs, wide jaw locking clamps offer extra-wide C-clamp jaws with swivel pads for delicate, irregular work.
- All are constructed of professional quality, high-grade heat-treated alloy steel.

MODEL #	DESCRIPTION	WEIGHT
DA76220	Locking Pliers, 7"	0.820 lbs.
DA76230	Locking Pliers, 10"	1.250 lbs.
DA76240	Locking Pliers, Pinch-off, 7"	0.770 lbs.
DA76250	Locking Pliers, Longnose, 6"	0.460 lbs.
DA76260	Locking Pliers, Wide Jaw Clamp, 11"	1.780 lbs.



DA76240



DA76260

### Dual Snap Ring Pliers

- Lighten your toolbox—this all-in-one tool removes both internal and external snap rings.
- A simple and efficient tool for mechanical work
- Spring-loaded with cushioned, over-sized handle for comfortable use

MODEL #	DESCRIPTION	WEIGHT
DA76190	Dual Snap Ring Pliers	0.200 lbs.





## Heavy Duty Pliers

- All have an oversized cross section for super heavy-duty jaws.
- Heads have induction-hardened cutting edges and hot-riveted joints.
- High-visibility, two-color textured non-slip handles.
- Professional quality materials and construction.

MODEL #	DESCRIPTION	WEIGHT
DA76090	Crimping Pliers, 10"	1.060 lbs.
DA76140	Linesman Pliers, 8-1/2"	1.000 lbs.
DA76100	Linesman Pliers, 9-1/2"	1.120 lbs.
DA76560	Linesman Pliers, 9-1/2", with crimping die	1.120 lbs.
DA76110	Long Nose Pliers, 8"	0.570 lbs.
DA76120	Diagonal Cutting Pliers, 7"	0.610 lbs.
DA76130	Diagonal Cutting Pliers, 8"	0.730 lbs.

DA76090 - 9½"

DA76120 - 7"  
DA76130 - 8"

DA76110 - 8"

DA76140 - 8½"  
DA76100 - 9½"

DA76560  
**CRIMPING  
DIE**

## Heavy Duty Pliers -- Extended

- Specialty pliers with an 11" reach and a choice of nose angles.
- Model selection includes curved nose with either a 20 , 45, or 90 degree angle.
- Professional quality with bright, two-color textured handles.

MODEL #	DESCRIPTION	WEIGHT
DA76160	Heavy duty extended pliers, 45° angle, 11" reach	0.800 lbs.
DA76170	Heavy duty extended pliers, 90° angle, 11" reach	0.800 lbs.
DA76180	Heavy duty extended pliers, 20° angle, 11" reach	0.800 lbs.

DA76180  
20°

DA76160  
45°

DA76170  
90°

## Box Joint Pump Pliers

- Heavy-duty box joint construction can't torque out, won't loosen with use.
- Extra room between handle grips protects fingers from injury—even at full jaw extension.
- Self-gripping jaw pattern provides tight, secure grip, even on slippery pipes.
- Cushioned, non-slip grip
- Industrial quality chrome vanadium steel with induction-hardened teeth

MODEL #	DESCRIPTION	WEIGHT
DA76200	Box Joint Pump Pliers, 10"	0.930 lbs.
DA76210	Box Joint Pump Pliers, 12"	1.430 lbs.

DA76200 - 10"  
DA76210 - 12"

2 in 1 Cutter Strippers / Cable Cutters

2 in 1 Cutter/Strippers




Cut wire with one end, grab and strip wire with the other!

- No stripping holes -- wire stripper self-adjusts to wire size.
- Hardened, stainless steel, low profile jaws cut flush.
- 5" model, DA76070, cuts 16 AWG copper wire and strips stranded wire sizes 26 to 16 AWG.
- 6" model, DA76080, cuts 10 AWG copper wire and strips electrical wire sizes 14 to 10 AWG.

MODEL #	DESCRIPTION	WEIGHT
DA76070	2-in-1 Cutter/Stripper, for low-voltage wire, 5" cutting capacity: 16 AWG copper wire; Strips 26 - 16 AWG	0.160 lbs.
DA76080	2-in-1 Cutter/Stripper, for electrical wire, 6" cutting capacity: 10 AWG copper wire; Strips 14 - 10 AWG	0.300 lbs.

Stripper Self-Adjusts to Wire:

- 1 Position wire end between the stripper jaws, and secure the wire by placing thumb and finger against the jaws, then --
- 2 Pump handle with one quick motion.




Ergonomic Wire Stripper

- Ergonomic handles feature sealed air pocket cushion grips and curved design that delivers more force at the jaw, reducing hand fatigue.
- Stripping stations for solid and stranded wire sizes 10 - 20 AWG
- Screw sizing stations for 6-32 and 8-32 screws



MODEL #	DESCRIPTION	WEIGHT
DA76410	Ergonomic Wire Stripper	0.360 lbs.



Cable Cutter

- Drop forged chrome vanadium alloy
- Induction-hardened cutting edge
- Hot-riveted joint
- Textured non-slip grips

MODEL #	DESCRIPTION	WEIGHT
DA76550	Cable cutter, 9-1/2"	1.000 lbs.



## Telescoping Inspection Mirrors / Light Magnetic Pickup Tools

### Telescoping Inspection Mirrors

- Non-slip, textured PVC-coated, telescoping handle
- Multiple models to fit specific jobs

MODEL #	DESCRIPTION	WEIGHT
DA76500	Inspection Mirror with replaceable glass mirror (2¼" x 2½"); telescopes from 7" to 28½", stainless steel shaft	0.267 lbs.
DA76502	Replacement glass mirror (2¼" x 2½") for DA76500	0.020 lbs.
DA76510	Inspection Mirror with replaceable, magnifying glass mirror (2¼" x 2½"); telescopes from 7" to 28½", stainless steel shaft	0.266 lbs.
DA76512	Replacement glass magnifying mirror (2¼" x 2½") for DA76510	0.020 lbs.
DA76520	Inspection Mirror with acrylic mirror (1¾" x 2½"); telescopes from 6½" to 27½"	0.182 lbs.
DA76530	Pocket Inspection Mirror with glass mirror (¾" x 2½"), and 1.5 lb magnet on end; telescopes from 5¾" to 25½"	0.108 lbs.
DA76540	Flame Inspection Mirror, stainless steel face (2" x 3¾"); telescopes from 6¾" to 28½"; stainless steel shaft	0.248 lbs.
DA78070	Pocket Telescoping Magnet, telescopes from 6" to 26"	0.180 lbs.

DA76500 - Standard  
DA76510 - Magnifying  
DA76520 - Acrylic



DA76530  
Pocket Inspection Mirror  
w/Magnet

DA76540 - Flame  
Inspection Mirror



DA78070  
Pocket Telescoping  
Magnet



### Lighted Magnetic Pickup Tools

- Magnet pickup assortment features super-bright LED lights that never burn out.
- Light is located at the magnet end for most efficient illumination of the search area.
- Strong 5 lb. magnet is encased in shield that directs the magnetic force to the tip—won't attract peripheral objects.
- Light turns off when not in use.
- Telescoping lighted pickup tools are 7" closed and extend out to 26".
- Telescoping mirrors are 8" closed and extend out to 36".



DA76460



DA76470



DA76475



DA76480

MODEL #	DESCRIPTION	WEIGHT
DA76460	Flexible lighted magnetic pickup tool, 23" flexible shaft, anodized aluminum handle	0.520 lbs.
DA76470	Telescoping pickup tool with telescoping round inspection mirror (2¼" dia.) in plastic case, handles have non-slip textured grip	0.820 lbs.
DA76475	Telescoping pickup tool with telescoping rectangular inspection mirror (2" x 3½") in plastic case, handles have non-slip textured grip	0.820 lbs.
DA76480	Telescoping pickup tool only, with non-slip textured grip handle	0.220 lbs.



# 15 LED WORK LIGHT + 3 LED FLASHLIGHT WITH MAGNET!



- Rechargeable work light has 15 LEDs to keep your work space brightly lit.
- 3 LEDs at top of work light turns it into a powerful hand-held flashlight.
- Mounts to metal surfaces for a super bright, hands-free, work light.
- When no metal surface is available, work light can be hung using its retractable hook.
- Wall and car chargers included -- both have built-in protection from overcharging.



15 LED Work Light



3 LED Flashlight



Retractable Hook


MODEL #	DESCRIPTION	WEIGHT
DA76590	LED Work Light/Flashlight, includes Wall Charger and Car Charger	0.594 lbs.

## Kinetic "Shake" Flashlight

*Never needs batteries, just shake to recharge!*

- Dual-coil capacitor design delivers up to 30 minutes of continuous bright light.
- Three LED lights offer super-bright light with no light bulbs to replace.
- 3 light modes: (1) Triple LED mode for maximum illumination; (2) Single LED mode for energy conservation, or (3) Off.
- Professional high-grade quality: Anodized aluminum alloy casing is precision machined with high-grade rubber seals — you can feel the weight when you use it. Water and shock resistant.

**Never needs batteries - here's how it works:**



**How To Use:** Shake flashlight horizontally -- magnet travels through the coils, creating electro-magnetic energy, which is stored in the capacitor.



MODEL #	DESCRIPTION	WEIGHT
DA84170	Kinetic Flashlight ("Shakelight"), 8" long	1.200 lbs.

## Telescoping Magnetic Pickup Flashlight



### Telescoping Magnetic Pickup Tool

- Magnetic pickup tool also functions as a flashlight for illuminating hard to reach areas -- crawl spaces, in and around furnaces and water heaters, and even under the hood.
- Three super bright LED lights burn up to 16 hours on fully charged batteries (LR44 batteries included).
- Flashlight has a flexible head for better control of light source -- the flexible 2" long shaft gets into places few other pickup tools can.
- NEW! Now with high-power magnets on both ends -- lighted end has 2 lbs. of pickup power and back end has powerful 5 lb. magnet that allows mounting to a metal surface giving you an on-the-spot work light.
- Flashlight/pickup tool telescopes out to 20" and collapses to 7½".
- Machined aluminum body has knurled surface for a safe grip and a hex head to keep it from rolling away from your work area.

MODEL #	DESCRIPTION	WEIGHT EA
DA76570	Telescoping lighted pickup tool, display/12	0.370 lbs.

NOTE: Available only in 12-pack display.



## Miscellaneous Tools

### Magnetic-tip Tape Measure

- 25-foot magnetic-tip tape measure has large magnetic end hook.
- Fractional gradations are printed on the blade for fast, accurate measurements.
- Acrylic-coated blade for durability and protection.
- Ergonomic case for comfortable grip.

MODEL #	DESCRIPTION	WEIGHT
DA75500	Magnetic-tip Tape Measure	0.910 lbs.



### Tubing Cutter

- Ratchet closure sets to pipe automatically; spring-loaded retractor releases pipe instantly
- Tough, lightweight aluminum body with built-in reamer feature
- Replacement cutting wheels available (sold separately)

MODEL #	DESCRIPTION	WEIGHT
DA76270	Mini tubing cutter, cuts for copper pipe 1/8" to 7/8" o.d.	0.100 lbs.



### Digital Caliper

- 6" caliper, zero setting at any position
- Instant conversion between inches and millimeters at any setting
- High-contrast, easy-to-read LCD digital display
- Durable hardened stainless steel shaft
- Uses one battery, type SR4 (included)

MODEL #	DESCRIPTION	WEIGHT
DA76400	Electronic Digital Caliper, in case	0.780 lbs.



### Awl

- 4" hardened steel blade with handle
- Blade goes through shaft, protecting handle
- Scribes metal, starts screw holes

MODEL #	DESCRIPTION	WEIGHT
DA71500	Awl, 4"	0.180 lbs.





### Caulking Guns

- Two sizes -- 9" or 13" (1 quart) cartridges
- Use to apply adhesives, caulking, lubricants
- Sturdy, painted steel frame with ratchet style compression rod and quick release thumb lever

MODEL #	DESCRIPTION	WEIGHT
DH76515	Caulking gun, 9" capacity	1.000 lbs.
DH76525	Caulking gun, 13" capacity (1 quart)	1.820 lbs.



### Pointing Trowel

- Hardened, tempered steel blade
- Offset handle for maximum hand clearance
- One-piece, molded polypropylene handle for comfortable grip and easy clean-up

MODEL #	DESCRIPTION	WEIGHT
DM87580	Pointing trowel, 6", pkg/12	0.500 lbs.



### Klenk Aviation Snips Display

- Display is 12" x 16" -- ideal for a tool wall.
- Designed to be hung on a pegboard -- hooks will go through pre-cut holes.
- Thick, 20-point card stock is durable to serve a display backing board.
- Includes places for three Klenk aviation snips.

MODEL #	DESCRIPTION	WEIGHT
DA75000	Klenk tool wall display, 12" x 16"	1.100 lbs.





Request our Roofing Tools catalog for information about our line of seam rollers and other tools for membrane roofing.

Call 1-800-298-2832 or visit  
[www.everhard.com](http://www.everhard.com).



A Division of Everhard Products, Inc.  
1016 Ninth Street SW  
Canton, Ohio USA

Toll-free: 800-327-5619 or 330-453-7857  
Toll-free Fax: 800-225-0984 or 330-453-7449

**Sales@KlenkTools.com**  
**[www.KlenkTools.com](http://www.KlenkTools.com)**

